

THE ROMAN BATHS



Important information for wheelchair users

Recommended route

For your comfort we suggest the route highlighted on the plan on the reverse of this leaflet, especially at busy times.

Using the lifts

Lifts A, B & D

Wait for the door to close automatically. Please note that the doors close slowly (approximately 15 seconds).

Lift C

Please open and close doors manually.

Press and hold the button to operate all lifts except for lift A; just press button once.

The platform lifts have sensors around the walls. If the lift stops during transit, keep within the red lines, wait a few seconds and press and hold the button again.

Natural hot water

Please don't touch the water, as it is not treated.



Uneven Roman pavements

Take care!

To avoid the worst, turn left on leaving the museum and go around the Great Bath clockwise. Return the same way to avoid crossing the stone slab over the water inlet.



If the evacuation alarm sounds

In the museum lower floors

Go to the nearest safe refuge point and wait for a member of staff to escort you to a place of safety. They will use the safest route.

Where possible, the lifts will be used.

If you have some ability to walk, you will be offered help to walk up stairs. Your wheelchair will go with you.

By the Great Bath or shop level


Wait outside by the Great Bath safe refuge point.



Please turn over for maps of recommended route


Please ask any member of staff if you require assistance

0 Ground floor
Main reception
Entrance / way out



- A** Lift down to Museum / back up to ground floor and exit
- B** Platform lift down to Museum displays
- C** Platform lift up to Temple Courtyard
- D** Platform lift down to Museum Shop, Sacred Spring Overflow and Great Bath / back up to exit via lift A

-1 Museum and Temple Courtyard



-2 Museum Shop
Overflow and Drain
Great Bath

